

Page 1/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version number 5.4

Revision: 22.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: Loetlegierung Sn64Pb36

Loetlegierung Sn63Pb37 Loetlegierung Sn60Pb40 Loetlegierung Pb50Sn50 Loetlegierung Pb60Sn40 Loetlegierung Pb70Sn30 Loetlegierung Pb92Sn8 Loetlegierung Pb95Sn5

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Technical function soldering

· Application of the substance / the mixture Brazing alloy

· 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Stannol GmbH & Co. KG Haberstrasse 24 D-42551 Velbert

+49 (0) 2051 3120 332 sdb@stannol.de

• Further information obtainable from: Product Safety Department • 1.4 Emergency telephone number:

8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Repr. 1A H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

lead massive [particle diameter ≥ 1 mm]

Hazard statements

H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version number 5.4

Revision: 22.02.2021

Trade name: Loetlegierung Sn64Pb36

Loetlegierung Sn63Pb37 Loetlegierung Sn60Pb40 Loetlegierung Pb50Sn50 Loetlegierung Pb60Sn40 Loetlegierung Pb70Sn30 Loetlegierung Pb92Sn8 Loetlegierung Pb95Sn5

· Precautionary statements

P201 Obtain special instructions before use.

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P263 Avoid contact during pregnancy and while nursing.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves / eye protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

- P314 Get medical advice/attention if you feel unwell.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Additional information:

EUH201A Warning! Contains lead.

- Restricted to professional users.
- 2.3 Other hazards

metals:

After working with the product and before eating, drinking or smoking, wash your hands with soap and water. Do not heat above 500 ° C.

May not get into the hands of children.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7439-92-1 lead massive [particle diameter ≥ 1 mm] EINECS: 231-100-4 Repr. 1A, H360FD-H362; STOT RE 1, H372

· SVHC

CAS: 7439-92-1 lead massive [particle diameter ≥ 1 mm]

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

35-96%

(Contd. of page 1)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version number 5.4

Revision: 22.02.2021

(Contd. of page 2)

Trade name: Loetlegierung Sn64Pb36

Loetlegierung Sn63Pb37 Loetlegierung Sn60Pb40 Loetlegierung Pb50Sn50 Loetlegierung Pb60Sn40 Loetlegierung Pb70Sn30 Loetlegierung Pb92Sn8 Loetlegierung Pb95Sn5

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· 5.3 Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

· 6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

· Storage class: 6.1 C

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

CAS: 7439-92-1 lead massive [particle diameter ≥ 1 mm]

BOELV (EU) Long-term value: 0.15 mg/m³ as Pb

· Additional information: The lists valid during the making were used as basis.



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version number 5.4

Revision: 22.02.2021

Trade name: Loetlegierung Sn64Pb36 Loetlegierung Sn63Pb37

Loetlegierung Sn60Pb40 Loetlegierung Pb50Sn50 Loetlegierung Pb60Sn40 Loetlegierung Pb70Sn30 Loetlegierung Pb92Sn8 Loetlegierung Pb95Sn5

(Contd. of page 3)

8.2 Exposure controls

· Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P2

Protection of hands:



Protective gloves

Leather gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:	
Form:	Solid
Colour:	Grey
· Odour:	Odourless
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/freezing point: Initial boiling point and boiling range: 	Undetermined. Undetermined.
· Flash point:	Not applicable.



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.02.2021 Version number 5.4 Revision: 22.02.2021 Trade name: Loetlegierung Sn64Pb36 Loetlegierung Sn63Pb37 Loetlegierung Sn60Pb40 Loetlegierung Pb50Sn50 Loetlegierung Pb60Sn40 Loetlegierung Pb70Sn30 Loetlegierung Pb92Sn8 Loetlegierung Pb95Sn5 · Flammability (solid, gas): Not determined. · Decomposition temperature: Not determined. · Auto-ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Not determined. Upper: · Vapour pressure: Not applicable. · Density: Not determined. · Relative density Not determined. · Vapour density Not applicable. Evaporation rate Not applicable. · Solubility in / Miscibility with Insoluble. water: · Partition coefficient: n-octanol/water: Not determined. · Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Solids content: 100.0 % · 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. of page 4)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version number 5.4

Revision: 22.02.2021

(Contd. of page 5)

Trade name: Loetlegierung Sn64Pb36

Loetlegierung Sn63Pb37 Loetlegierung Sn60Pb40 Loetlegierung Pb50Sn50 Loetlegierung Pb60Sn40 Loetlegierung Pb70Sn30 Loetlegierung Pb92Sn8 Loetlegierung Pb95Sn5

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity**

May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

• STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure

- Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	not regulated
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.



Page 7/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version number 5.4

Revision: 22.02.2021

Trade name: Loetlegierung Sn64Pb36 Loetlegierung Sn63Pb37 Loetlegierung Sn60Pb40 Loetlegierung Pb50Sn50 Loetlegierung Pb60Sn40 Loetlegierung Pb70Sn30

Loetlegierung Pb70Sn30 Loetlegierung Pb92Sn8 Loetlegierung Pb95Sn5

(Contd. of page 6)

14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
UN "Model Regulation":	not regulated	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

lead massive [particle diameter ≥ 1 mm]

Hazard statements

- H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

Precautionary statements

- P201 Obtain special instructions before use.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P263 Avoid contact during pregnancy and while nursing.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves / eye protection.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· National regulations:

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57
- CAS: 7439-92-1 lead massive [particle diameter ≥ 1 mm]
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.02.2021

Version number 5.4

Revision: 22.02.2021

Trade name: Loetlegierung Sn64Pb36

Loetlegierung Sn63Pb37 Loetlegierung Sn60Pb40 Loetlegierung Pb50Sn50 Loetlegierung Pb60Sn40 Loetlegierung Pb70Sn30 Loetlegierung Pb92Sn8 Loetlegierung Pb95Sn5

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H360FD May damage fertility. May damage the unborn child.

- H362 May cause harm to breast-fed children.
- H372 Causes damage to organs through prolonged or repeated exposure.
- Department issuing SDS: Product Safety Department
- Contact: Hr. Dörr

Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Repr. 1A: Reproductive toxicity Category 1A
- STOT RE 1: Specific target organ toxicity (repeated exposure) Category 1